



BEARING MANUFACTURING DE MEXICO, S.A.D...



50 mm x 80 mm x 10 mm KOYO 16010 deep groove ball bearings

Bearing No. 16010

16010 Bearing 2D drawings and 3D CAD models

Size	50x80x10 mm
Bore Diameter	50 mm
Outer Diameter	80 mm
Width	10 mm
d	50 mm
D	80 mm
B	10 mm
C	10 mm
r min.	0,6 mm
da min.	54 mm
Da max.	76 mm
ra max.	0,6 mm
Weight	0,18 Kg
Basic dynamic load rating (C)	16 kN
Basic static load rating (C0)	13,3 kN
(Grease) Lubrication Speed	8200 r/min
(Oil) Lubrication Speed	9700 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	0060579000269
Product Group	B00308
Enclosure	Open



BEARING MANUFACTURING DE MEXICO, S.A.D...

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	50MM Bore; 80MM Outside Diameter; 10MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Weight / LBS	0.39683
Outer Race Width	0.394 Inch 10 Millimeter
Bore	1.969 Inch 50 Millimeter
Outside Diameter	3.15 Inch 80 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bearing No.	16010
r(min)	0.6
Cr	20.0
C0r	13.3
Cu	0.710



BEARING MANUFACTURING DE MEXICO,S.A.D...

f0	16.2
Grease lub.	8200
Oil lub.	9700
da(min)	54
Da(max)	76
ra(max)	0.6
(Refer.)Mass(kg)	0.180