



BEARING MANUFACTURING DE MEXICO, S.A.D...



65 mm x 120 mm x 23 mm NTN NU213
cylindrical roller bearings

Bearing No. NU213

NU213 Bearing 2D drawings and 3D CAD models

Size	65x120x23 mm
Bore Diameter	65 mm
Outer Diameter	120 mm
Width	23 mm
d	65 mm
Fw	79,6 mm
D	120 mm
B	23 mm
C	23 mm
r min.	1,5 mm
r1 min.	1,5 mm
Weight	1,02 Kg
Basic dynamic load rating (C)	84 kN
Basic static load rating (C0)	94,5 kN
(Grease) Lubrication Speed	5 900 r/min
E	105.6 mm
F	79.6 mm
rs min	1.5 mm
r1s min	1.5 mm
Radial clearance class	CN
Mass (without HJ ring)	1.02 kg
Dynamic load, C	84 kN
Static load, C0	94.5 kN
Fatigue limit load, Cu	11.5 kN
Nlim (oil)	7,000 rpm



BEARING MANUFACTURING DE MEXICO,S.A.D...

Nlim (grease)	5,900 rpm
Min operating temperature, Tmin	-40 ° C
Max operating temperature, Tmax	120 ° C
da min	73 mm
da max	77 mm
db min	81 mm
Da max	112 mm
ra max	1.5 mm
r1a max	1.5 mm
Category	Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	1.054
EAN	4547359000481
Product Group	B04144
bore diameter:	65 mm
precision rating:	ISO Class 0
outside diameter:	120 mm
maximum rpm:	7000 rpm
overall width:	23 mm
bearing material:	Hardened Alloy Steel
flanges:	(2) Outer Ring
cage material:	Pressed Steel
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	CN
outer ring width:	23 mm
ring separation:	Separable Inner Ring



BEARING MANUFACTURING DE MEXICO,S.A.D...

fillet radius:	1.5 mm
operating temperature range:	-40 to 120 ° C
series:	NU
dynamic load capacity:	84000 N
manufacturer product page:	Click here
static load capacity:	94500 N