




BEARING MANUFACTURING DE MEXICO, S.A.D...

15,000 mm x 35,000 mm x 11,000 mm NTN
CS202LLU deep groove ball bearings



CS202LLU Bearing 2D drawings and 3D CAD models

Bearing No. CS202LLU

Size	15x35x11 mm
Bore Diameter	15,000 mm
Outer Diameter	35,000 mm
Width	11,000 mm
d	15,000 mm
D	35,000 mm
B	11,000 mm
C	11,000 mm
Category	Insert Bearings Spherical OD
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.041
EAN	4547359056624
Product Group	M06110
Inner Race Profile	Standard Inner Ring
Outer Race Profile	Spherical
Relubricatable	No
Seal Type	Contact
Mounting Method	Shaft Mount
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	15MM Bore; Standard Inner Ring; Ball Bearing; 11MM Length Thru Bore; 11MM Outer Race Width; 35MM



BEARING MANUFACTURING DE MEXICO, S.A.D...

	Outside Diameter; Not Relubricatable; Contact Seal; Shaft Mount Mounting Method; No Snap Ring
Inch - Metric	Metric
Other Features	Single Row Light Duty Metric
Category	Insert Bearings
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	CS202LLU
Weight / LBS	0.088
Outside Diameter	1.378 Inch 35 Millimeter
Length Thru Bore	0.433 Inch 11 Millimeter
Outer Race Width	0.433 Inch 11 Millimeter
Bore	0.591 Inch 15 Millimeter
bore diameter:	15 mm
static load capacity:	3450 N
outside diameter:	35 mm
precision rating:	Class 0
overall width:	11 mm
finish/coating:	Uncoated
bore type:	Round
bearing material:	Through Hardened Steel
closure type:	Double Sealed
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
inner ring width:	11 mm
snap ring included:	Without Snap Ring
outer ring width:	11 mm



BEARING MANUFACTURING DE MEXICO,S.A.D...

internal clearance:	CN
fillet radius:	0.6 mm
operating temperature range:	-40 to 120 ° C
series:	CS2
dynamic load capacity:	5950 N
manufacturer product page:	Click here